

ANCCG Meeting

Monitoring Period
February 2020 – April 2020

Meeting: 8 June 2020

MARSHALL DAY
Acoustics 

NB: Glossary of terminology given in Appendix A

This monitoring period includes the beginning of the national lockdown in response to the COVID-19 pandemic.





Figure 1: Number of Aircraft Operations per Month



3

Figure 1 shows the number of aircraft operations per month since the year 2000 (blue line) and the 12 month rolling average (black line).

Aircraft operations have fluctuated over the years with a dip in 2002 and 2014, and in 2020 due to the COVID-19 pandemic.

Since 2015 aircraft operations have increased steadily. However, the effect of the COVID-19 pandemic has greatly impacted the aircraft operations in recent months.

The number of aircraft operations in the three month period February 2020 to April 2020 has decreased by 40% when compared to the same period last year.

Daytime operations have decreased by 40% and night-time operations have decreased by 34% when compared to the same period last year.

These large reductions in aircraft operations are due to the COVID-19 pandemic.

Table 1: Summary of Aircraft Operations

Operation	Total	Day	Night
Arrivals	13,963	11,764	2,199
Departures	13,941	12,794	1,147
Circuit	25	24	1
Total	27,929	24,582	3,347

Table 2: Average Daily Aircraft Operations

Total	Day	Night
310	273	37

Table 1 shows a breakdown of aircraft operations in the three month period February 2020 to April 2020.

Table 2 shows that there were on average 311 aircraft operations that occurred per day (24 hour period), 37 of these were at night-time.

The average daily aircraft operations generally ranged between 450 – 550 movements per day prior to the COVID-19 pandemic.

Figure 2: Aircraft Operations by Time





Figure 3: Aircraft Operations by Aircraft Type



MARSHALL DAY
Acoustics

Figure 2 shows the breakdown of aircraft operations by time of day for the three month period February 2020 to April 2020 and the three quarters preceding.


For the three month period February 2020 to April 2020 the majority (88%) of aircraft operations occurred in the daytime between 7am and 10pm and the remainder (12%) occurred at night-time. This was similar to previous quarters.

Figure 3 shows the breakdown of aircraft operations by aircraft type in the three month period February 2020 to April 2020 and the three quarters preceding.

For the three month period February 2020 to April 2020 the majority (59%) of aircraft operations were jets with 36% being turboprops.

Propeller and helicopter aircraft made up 4% of the total aircraft operations during this period. This was similar to previous quarters.

Figure 4: Aircraft Operations by Runway



6

Figure 4 shows the percentage of aircraft operations that used each runway (23L and 05R) over the past 13 months.

Runway 23L is used when westerly winds prevail and Runway 05R is used when easterly winds prevail (refer glossary for explanation)

The historical average runway usage is RW23L 70%/RW05R 30%

The runway usage in the three month period February 2020 to April 2020 was RW23L 72%/RW05R 28%.

The runway use in the same quarter last year was RW23L 61%/RW05R 39%

Figure 5: Number of SMART Approaches per week




Figure 5 shows the number of SMART flights flown in the past 12 months.

The SMART Approaches are named as follows:

- Blue X05A – International arrivals from the north on Runway 05R overflying Lynfield
- Green X23A - International arrivals from the north on Runway 23L overflying Highbrook
- Yellow U23 - International arrivals from the north on Runway 23L overflying Whitford
- Red – Domestic arrivals from the south on Runway 23L overflying Wattle Downs
- Orange S23 – Domestic arrivals from the south on Runway 23L overflying Clevedon

There is a limit of:

- 10 SMART approaches per day on the Green and Blue SMART approaches
- 6 per day on the Yellow SMART approach
- 25 per day on the Orange SMART approach

This limit has been complied with over the past 12 months.

The decrease in SMART approaches in recent months is likely in part due to the COVID-19 pandemic.




Figure 6 shows the location of the SMART approach flight paths.



Flight Path Diagrams




Figure 7 shows the daytime (7am-10pm) flight paths for Friday 28 February 2020, the busiest day in the three month period February 2020 to April 2020 when Runway 23L was primarily in use.

The red lines indicate arrivals and the blue lines indicate departures.

The runway usage in this 24 hour period was Runway 23L (westerly) 97%.

There were 477 daytime flights on this day.




Figure 8 shows the night-time (10pm-7am) flight paths for Friday 28 February 2020, the busiest night in the three month period February 2020 to April 2020 when Runway 23L was primarily in use. The red lines indicate arrivals and the blue lines indicate departures. The runway usage in this 24 hour period was Runway 23L (westerly) 97%. There were 64 night-time flights on this night.




Figure 10 shows the night-time (10pm-7am) flight paths for Friday 6 March 2020, the busiest night in the three month period February 2020 to April 2020 when Runway 05R was primarily in use.

The red lines indicate arrivals and the blue lines indicate departures.

The runway usage in this 24 hour period was Runway 05R (easterly) 100%.

There were 61 night-time flights on this night.

Noise Complaints



Figure 11: Number of Aircraft Noise Complaints per Month




Figure 11 shows the total number of aircraft noise complaints made per month since the year 2000 (blue line) and the 12 month rolling average (black line).

Aircraft noise complaints were low up until 2013 when the number of complaints increased from about 2 per month to a peak of 560 in February 2013 and have decreased steadily since then.

This increase in complaints coincided with the 2012/13 SMART trials where community awareness to noise was heightened.

The number of noise complaints in the three month period February 2020 to April 2020 has decreased from 498 to 62 when compared to the same period last year.

This reduction in complaints is likely due to the reduction in aircraft movements due to COVID-19.

Table 3: Summary of Noise Complaints

	Feb	Mar	Apr	Feb-Apr	Nov-Jan	Aug-Oct	May-Jul
Number of Complaints	40	20	2	62	99	48	126
Specific	36	18	1	55	87	39	100
Generic	4	1	0	5	9	9	23
Question	0	1	1	2	3	0	3
Number of People Complaining	12	10	2	20	22	18	33

Note: Two people made 56% (35) of the complaints for the three month period. These people were located in Greenlane, & Mount Eden.

Table 3 shows a breakdown of the noise complaints in the three month period February 2020 to April 2020 with the previous three quarters shown for reference.

A particular person, may have made several complaints over time. These individual complaints could have been regarding one specific aircraft operation or a more general complaint which does not reference a specific aircraft operation.

There are two types of general complaints, 'generic' and 'question'. The first relates to people lodging a general complaint about aircraft noise rather than a specific event, the second relates to people enquiring to ask for information about aircraft noise or management of noise. We therefore refer to:

- The number of 'complainants' (no. of people who complain),
- The number of 'generic' noise complaints (e.g. "there was more aircraft noise last night")
- The number of 'question' noise enquiries (e.g. "can you tell me more about how noise is managed at the airport")
- The number of 'specific' event complaints (e.g. "the 6:25pm flight was noisy")

There were a total of 62 complaints in the three month period February 2020 to April 2020, 89% related to specific aircraft events, 8% were generic complaints and 3% were question enquiries. Two people made 56% (35) of the complaints for the three month period.

The number of complaints between February 2020 to April 2020 was lower than the complaints received in the previous quarter (November 2019 to January 2020). This is likely at least in part due to the reduction in aircraft movements due to COVID-19.




Figure 12 shows a map with the location of each complainant.

Each point represents the location of a person who complained in the three month period February 2020 to April 2020.

The colour of the point represents whether it was an existing complainant (grey - someone who has complained before) or a new complainant (yellow - someone who hasn't complained before).

The numbers on top of each point give the number of complaints made by each person in the three month period.

The complaints are spread all over Auckland.

Figure 13: Number of Noise Complaints by Area




Figure 13 shows the number of complaints made by people residing in different areas of Auckland over the past 12 months.

Over two thirds of the complaints in the three month period February 2020 to April 2020 were from the Central Suburbs, with the remainder mostly from South Auckland.

A list of which suburbs fall into each area is provided in Appendix C.

Figure 14: Noise Complaints by Time




Figure 15: Noise Complaints by Runway




Figure 16: Noise Complaints by Aircraft





Figure 17: Noise Complaints by Operation



Figures 14-17 show a breakdown of the 'specific' aircraft noise complaints made in the three month period February 2020 to April 2020 and the three quarters preceding.

Night-time flights made up 75% of the complaints in the three month period. The majority of complaints related to jets, arrivals, on runway 23L at night.

Figure 18: Specific Noise Complaints by Destination




Figure 18 shows the number of specific aircraft complaints made about international and domestic flights over the past 12 months.

The complaints in the three month period February 2020 to April 2020 were almost all regarding international flights.

Note that a number of specific aircraft complaints were not matched with a flight.

Figure 19: Specific Noise Complaints vs Usage of Runway 05R




Figure 19 shows the number of specific noise complaints per month received in the past 12 months compared to the usage of Runway 05R.

Usage of Runway 05R is associated with easterly winds which cause departing aircraft to depart to the east over populated areas instead of over the Manukau Harbour (as occurs in the predominant westerly winds).

Departing aircraft are generally louder than arriving aircraft.

There is a general correlation between runway usage and the number of complaints in recent months.

Figure 20: Noise Complaints by Hour vs Aircraft Operations by Hour (Feb - Apr)




Figure 20 shows the number of specific aircraft noise complaints and the number of aircraft operations per hour.

The blue bars show the number of complaints that related to an aircraft operation in each hour of the day in the three month period February 2020 to April 2020.

The gray line shows the average daily aircraft operations that occurred in each hour of the day during this period.

The complaints were mostly during the night. There is little correlation between the number of aircraft operations each hour and the number of complaints during the day, but the correlation is more present during the night-time.

Figure 21: Noise Complaints by Type (Feb - Apr)




Figure 21 shows the reason for each noise complaint. This includes generic and specific complaints.

Aircraft operations being too loud was the main reason for the complaints (37%) in the three month period February 2020 to April 2020.

Late night and early morning flights were the second and third most prevalent reason.

A full description of each cause is given in Appendix B.




Figure 22 shows the flight paths for specific aircraft from Auckland Airport identified in noise complaints for the three month period February 2020 to April 2020.

The red lines indicate arrivals, the blue lines indicate departures.

There were 55 noise complaints that related to specific aircraft during this period. 46 of these operated out of Auckland Airport – these Auckland Airport aircraft events have been reviewed and all of them complied with the Civil Aviation Authority Noise Abatement Procedures.

Figure 23: Specific Aircraft Identified in Noise Complaints by Height




Figure 23 shows the flight paths for the 46 specific aircraft identified from Auckland Airport in noise complaints for the three month period February 2020 to April 2020.

The flight paths are shown in terms of altitude.



Noise Monitoring




Figure 24 shows the location of Auckland Airport's three permanent and seven temporary noise monitors.

All of the permanent noise monitors are located on the outer boundary of the HANA which is set at 65 dB L_{dn} for future aircraft operations.

The Velodrome logger was vandalized in early November 2019 and is currently being repaired.

The Eastern Beach logger was taken down in March 2020 due to the building it was attached to requiring renovations.

Figure 25: Measured 365 Day Rolling Noise Exposure (L_{dn}) – Permanent Monitors




Figure 25 shows the rolling 365 day Noise Exposure (L_{dn}) at the permanent noise monitors since April 2005.

The noise limit in the District Plan is 65 dB L_{dn} (rolling 365 day) at the boundary of the HANA.

The rolling 365 day L_{dn} is the average L_{dn} noise level over 365 days calculated each day and is the overall average L_{dn} for the 365 days preceding and including the day of the calculation.

For example the point for 31 December 2005 represents the average L_{dn} noise level from 1 April 2005 to 31 December 2005.

The rolling 365-day L_{dn} was below the 65 dB L_{dn} noise limit in the three month period February 2020 to April 2020.

The noise levels in the three month period have increased by 0.5 dB at Prices Rd and decreased by 0.7 dB at Puhinui compared to the same quarter last year.

The Velodrome logger was vandalized in early November 2019. It went back into service at the end of April 2020.

The noise levels in the three month period are 1 to 3 dB lower than in 2007/2008 when noise levels were highest.

A change in noise level of 1 to 2 dB is not generally perceptible to the human ear.


Table 4: Measured Noise Exposure (L_{dn}) for each Financial Year – Permanent Monitors

Financial Year	Prices Rd	Velodrome	Puhinui
FY06 (Jul-05 to Jun-06)	63.4	61.2	61.4
FY07 (Jul-06 to Jun-07)	65.0	61.8	61.7
FY08 (Jul-07 to Jun-08)	65.2	No Data	62.1
FY09 (Jul-08 to Jun-09)	64.3	62.6	62.0
FY10 (Jul-09 to Jun-10)	64.0	62.4	61.8
FY11 (Jul-10 to Jun-11)	63.5	61.6	60.7
FY12 (Jul-11 to Jun-12)	63.1	60.8	60.3
FY13 (Jul-12 to Jun-13)	63.0	61.0	60.6
FY14 (Jul-13 to Jun-14)	63.6	61.4	60.3
FY15 (Jul-14 to Jun-15)	62.2	61.3	61.1
FY16 (Jul-15 to Jun-16)	63.1	61.9	61.0
FY17 (Jul-16 to Jun-17)	63.3	62.5	61.6
FY18 (Jul-17 to Jun-18)	62.8	61.9	60.9
FY19 (Jul-18 to Jun-19)	61.9	62.0	61.2

Table 4 shows the Noise Exposure (L_{dn}) at the permanent noise monitors for each financial year (1-Jul – 30-Jun) since 2006

The noise limit in the District Plan is 65 dB L_{dn} (rolling 365 day) at the boundary of the HANA.

Figure 26: Number of Aircraft Noise Events in Each Noise Band
Permanent Monitors (L_{Amax} – Maximum Noise Level)



NB: Aircraft noise events over 70-75 L_{Amax} start to become disturbing inside houses with windows open as they have the potential to interfere with watching tv, talking etc.

MARSHALL DAY
Acoustics

Figure 26 shows the average daily number of aircraft that overflowed each permanent noise monitor in each noise band in the three month period February – April in 2019 (Orange bars) and 2020 (Blue bars).

L_{Amax} is the maximum noise level experienced as an aircraft overflies a monitor.

The permanent noise monitors received 40-80 events above 70 L_{Amax} per day.

The Velodrome logger was vandalized in early November 2019 and was redeployed at the end of April 2020.

Table 5: Correlation of Aircraft Operations with Captured Noise Events
Permanent Monitors

	NMT1 Prices	NMT2 Velodrome	NMT3 Puhinui
Total Aircraft Operations	12,763	8,826	9,599
No. Aircraft Operations Captured by Monitors	10,388	0	7,985
Correlation	81%	0%	83%

NB: Generally a correlation of >80% is considered reasonable. The aircraft that are missed are the lower noise level events and will not have any effect on the overall noise level.

Table 5 shows the number of aircraft that flew in the vicinity of each permanent noise monitor and the number of aircraft noise events that were correlated with an aircraft flyover in the three month February 2020 to April 2020.

Generally a noise monitor is unable to pick up each and every noise event due to ambient noise, inclement weather or other factors.

This table shows how well each noise monitor is performing in correlating aircraft noise events.

The Velodrome logger was vandalized in early November 2019 and as replaced at the end of April 2020.

Table 6: Temporary Noise Monitor Summary of Measured Aircraft Events

	Date Deployed	Days in Field	Measured L_{dn}	Average L_{Amax}
Mt Eden	1-Apr-15	1857	40	62
Mt Wellington	17-Apr-15	1841	39	65
Eastern Beach	11-Jun-15	1745	42	61
Wiri	4-May-17	1095	60	75
Wattle Downs	23-Dec-17	860	48	67
Clevedon	10-Mar-18	782	28	55
Whitford (Trig)	1-Dec-19	145	45	59

Table 6 gives a summary of the measured noise levels at each temporary noise monitor since deployment (up until 31 April 2020).

The measured L_{dn} for aircraft noise ranges from 28-48 dB L_{dn} across the various temporary monitor locations, with the exception of the noise monitor in Wiri where noise levels were 60 dB L_{dn} .

New Zealand Standard NZS 6805 states that areas exposed to noise levels below 55 dB L_{dn} are suitable for residential development. The noise levels measured at the temporary noise monitors are 7-27 dB below the 55 dB L_{dn} New Zealand Standard, with the exception of the noise monitor in Wiri.

The noise levels measured at the Wiri noise monitor are 5 dB above the NZS 6805 guideline which is why this location is within the Moderate Aircraft Noise Area.

The average L_{Amax} ranges from 55-67 dB L_{Amax} across the various monitors with the exception of the noise monitor in Wiri where noise levels were 75 dB L_{Amax} .

The average L_{Amax} is calculated by averaging the maximum level from all of the individual aircraft noise events during the monitoring period.

The L_{Amax} differs for each aircraft operation depending on the aircraft type, type of operation etc.

Aircraft noise events over 70-75 dB L_{Amax} start to become disturbing inside houses with windows open as they have the potential to interfere with watching tv, talking etc.

There was generally less than one flyover recorded at the temporary monitors above 70 dB L_{Amax} apart from the noise monitors in Wiri and Wattle Downs both had 23 & 8 noise events, respectively above 70 dB L_{Amax} .

Figure 27: Measured Monthly Noise Exposure (L_{dn}) – Central Suburbs Temporary Monitors




Figure 27 shows the monthly Noise Exposure (L_{dn}) trends for aircraft noise at the temporary noise monitors in the Central Suburbs since their deployment.

The L_{dn} fluctuates month on month by 11 dB at each noise monitor depending on aircraft operations, wind direction and other factors.

There are no notable trends in the data.

The measured L_{dn} for aircraft noise ranges from 31-42 dB L_{dn} per month across the Central Suburb monitor locations.

New Zealand Standard NZS 6805 states that areas exposed to noise levels below 55 dB L_{dn} are suitable for residential development.

The noise levels measured at the temporary noise monitors in the Central Suburbs are 13-24 dB below this level.

Figure 28: Measured Monthly Noise Exposure (L_{dn}) – Eastern Suburbs Temporary Monitors




Figure 28 shows the monthly Noise Exposure (L_{dn}) trends for aircraft noise at the temporary noise monitors in East Auckland since their deployment.

The L_{dn} fluctuates month on month by 5-11 dB at each noise monitor depending on aircraft operations, wind direction and other factors.

There are no significant trends in the data.

The measured L_{dn} for aircraft noise ranges from 22-48 dB L_{dn} per month across the Eastern Suburb monitor locations.

New Zealand Standard NZS 6805 states that areas exposed to noise levels below 55 dB L_{dn} are suitable for residential development.

The noise levels measured at the temporary noise monitors are 7-33 dB below this level.

Figure 29: Measured Monthly Noise Exposure (L_{dn}) – Southern Suburbs Temporary Monitors




Figure 29 shows the monthly Noise Exposure (L_{dn}) trends for aircraft noise at the temporary noise monitors in South Auckland since their deployment.

The L_{dn} fluctuates month on month by around 11-12 dB at each noise monitor depending on aircraft operations, wind direction and other factors.

There are no significant trends in the data.


The measured L_{dn} for aircraft noise ranges from 37-62 dB L_{dn} per month across the Southern Suburb monitor locations.

New Zealand Standard NZS 6805 states that areas exposed to noise levels below 55 dB L_{dn} are suitable for residential development.

The noise level measured at the Wattle Downs noise monitor is 7 dB below this level.

This noise level measured at the Wiri noise monitor is 5 dB above the NZS 6805 guideline which is why this location is within the Moderate Aircraft Noise Area.

Figure 30: Number of Aircraft Noise Events in Each Noise Band
Central Suburbs Monitors (L_{Amax} – Maximum Noise Level)




NB: Aircraft noise events over 70-75 L_{Amax} start to become disturbing inside houses with windows open as they have the potential to interfere with watching tv, talking etc.

Figure 30 shows the average daily number of aircraft that overflowed each of the Central Suburbs temporary noise monitors in each noise band in the three month period February to April 2019 (Orange bars) and 2020 (Blue bars).

L_{Amax} is the maximum noise level experienced as an aircraft overflies a monitor.

The Mt Wellington noise monitor received less than one event above 70 L_{Amax} per day.

Figure 31: Number of Aircraft Noise Events in Each Noise Band
Eastern Suburbs Monitors (L_{Amax} – Maximum Noise Level)




NB: Aircraft noise events over 70-75 L_{Amax} start to become disturbing inside houses with windows open as they have the potential to interfere with watching tv, talking etc.

Figure 31 shows the average daily number of aircraft that overflowed each of the Eastern Suburbs temporary noise monitors in each noise band in the three month period February to April 2019 (Orange bars) and 2020 (Blue bars).

L_{Amax} is the maximum noise level experienced as an aircraft overflies a monitor.

These noise monitors received less than one event above 70 L_{Amax} per day.

Figure 32: Number of Aircraft Noise Events in Each Noise Band
Southern Suburbs Monitors (L_{Amax} – Maximum Noise Level)



NB: Aircraft noise events over 70-75 L_{Amax} start to become disturbing inside houses with windows open as they have the potential to interfere with watching tv, talking etc.

Figure 32 shows the average daily number of aircraft that overflowed the Southern Suburbs temporary noise monitors in each noise band in the three month period February to April 2019 (Orange bars) and 2020 (Blue bars).

L_{Amax} is the maximum noise level experienced as an aircraft overflies a monitor.

The Wiri noise monitor receives approximately 23 events above 70 L_{Amax} per day.

The Wattle Downs noise monitor receives approximately 8 events above 70 L_{Amax} per day.



Engine Testing




Figure 33 shows the three locations where compliance with the engine testing noise rule is calculated.

Figure 34: Engine Testing Summary






Figure 34 shows the rolling 7 day average noise level for engine testing activity at the airport in the three month period February 2020 to April 2020 .

The District Plan noise limit for engine testing activity is 55 dB L_{dn} (7 day rolling).

The engine testing noise levels were compliant with the 55 L_{dn} noise limit.

The Table insert shows the maximum, minimum and average number of engine tests performed on an average day in each month along with the total number of tests completed in each month.

Appendix A: Glossary of Terminology

Term	Definition
Daytime	The period from 7:00am to 10:00pm
Night-time	The Period from 10:00pm to 7:00am
Runway 23L/Runway 05R	<div> <div>Occurs in Westerly Wind Conditions</div>  </div> <div> <div>Occurs in Easterly Wind Conditions</div>  </div>
Complaint Type	
“Specific” complaint	Complaints relating to a specific aircraft operation.
“Generic” complaint	Complaints that don’t relate to a specific aircraft operation but relate to noise in general.
“Question” enquiry	An enquiry to find out more information about noise related topics.
“Aircraft” Noise	Noise that is from aircraft operations only.
“Ambient” Noise	<p>The total noise that is from general ambient noise sources (cars, wind etc.).</p> <p>Includes noise from aircraft operations.</p>
A-weighting	The process by which noise levels are corrected to account for the non-linear frequency response of the human ear.
L_{dn} – Noise Exposure	The average A-weighted noise level over a day/month/year with a 10 dB penalty applied to the night-time (10pm – 7am).
L_{Amax} – Maximum Noise Level	The highest A-weighted noise level which occurs during an aircraft operation.
ANNA	Aircraft Noise Notification Area – Set at 55-60 dB L_{dn}
MANA	Moderate Aircraft Noise Area – Set at 60-65 dB L_{dn}
HANA	High Aircraft Noise Area – Set at 65+ dB L_{dn}

Appendix B: Noise Complaint Type

Cause	Description
Low flying	Aircraft flying at a low altitude
Too loud	Aircraft making too much noise
Early morning	Aircraft flying in the early morning
Late night	Aircraft flying late at night or overnight
Height	Aircraft flying higher or lower than usual
More flights	More aircraft operations than usual
Noisier flights	Aircraft are noisier than usual
Flight path	Aircraft flying on a different flight path than usual
Other	The disturbance is different from those listed
Unknown	Cause not stated
Noise Mitigation Package Enquiry	Enquiry relating to the Noise Mitigation Packages

Appendix C: Suburbs by Area

Suburb	Area	Suburb	Area	Suburb	Area	Suburb	Area
Alfriston	South Auckland	Half Moon Bay	East Auckland	Onehunga	Central Suburbs	Stanley Point	North Shore
Anawhata	West Auckland	Hauraki	North Shore	Onewhero	Not in Auckland	Sunnyhills	East Auckland
Arkles Bay	North Shore	Henderson Valley	West Auckland	Orakei	East Auckland	Takanini	South Auckland
Auckland	Central Suburbs	Herne Bay	Central Suburbs	Oratia	Central Suburbs	Te Atatu South	West Auckland
Avondale	West Auckland	Howick	East Auckland	Otahuhu	South Auckland	The Gardens	South Auckland
Beachlands	East Auckland	Huntly	Not in Auckland	Otara	South Auckland	Titirangi	West Auckland
Birkdale	North Shore	Hunua	South Auckland	Pakuranga	East Auckland	Totara Heights	South Auckland
Birkenhead	North Shore	Karaka	South Auckland	Pakuranga Heights	East Auckland	Totara Vale	South Auckland
Blockhouse Bay	West Auckland	Laingholm	West Auckland	Panmure	Central Suburbs	Waitakere	West Auckland
Botany Downs	East Auckland	Long Bay	North Shore	Papakura	South Auckland	Waiuku	South Auckland
Bucklands Beach	East Auckland	Lynfield	West Auckland	Papatoetoe	South Auckland	Wattle Downs	South Auckland
Chatswood	North Shore	Mangere	South Auckland	Patumahoe	South Auckland	Westmere	Central Suburbs
Clendon Park	South Auckland	Mangere Bridge	South Auckland	Point Chevalier	Central Suburbs	Weymouth	South Auckland
Clover Park	South Auckland	Mangere East	South Auckland	Point England	Central Suburbs	Whanganui	Not in Auckland
Coatesville	North Shore	Manukau	South Auckland	Pollok	South Auckland	Whangaparaoa	North Shore
Cockle Bay	East Auckland	Manukau Heads	South Auckland	Ponsonby	Central Suburbs	Whangaripo	Not in Auckland
Cornwallis	West Auckland	Manurewa	South Auckland	Randwick Park	South Auckland	Whitford	East Auckland
Drury	South Auckland	Meadowbank	Central Suburbs	Ranui	West Auckland	<u>Wiri</u>	<u>South Auckland</u>
East Tamaki	East Auckland	Mellons Bay	East Auckland	Remuera	Central Suburbs		
East Tamaki Heights	East Auckland	Milford	North Shore	Rothesay Bay	North Shore		
Ellerslie	Central Suburbs	Mount Albert	Central Suburbs	Royal Oak	Central Suburbs		
Epsom	Central Suburbs	Mount Eden	Central Suburbs	Saint Heliers	Central Suburbs		
Farm Cove	East Auckland	Mount Roskill	Central Suburbs	Saint Johns	Central Suburbs		
Flat Bush	East Auckland	Mount Wellington	Central Suburbs	Saint Marys Bay	Central Suburbs		
Forrest Hill	North Shore	Muriwai	West Auckland	Sandringham	Central Suburbs		
Glendowie	Central Suburbs	Newmarket	Central Suburbs	Shamrock Park	East Auckland		
Glenfield	North Shore	Northcote Point	North Shore	Shelly Park	South Auckland		
Goodwood Heights	South Auckland	Northcross	North Shore	Silverdale	North Shore		
Greenlane	Central Suburbs	Northpark	South Auckland	Snells Beach	Not in Auckland		
<u>Grey Lynn</u>	<u>Central Suburbs</u>	<u>One Tree Hill</u>	<u>Central Suburbs</u>	<u>Somerville</u>	<u>South Auckland</u>		